

Floods

Disaster Terrains like

Mountains, Deserts,

Forests &

- ▶ *Equipped with GPS, WiFi, Extra Power
- ► First Response Disaster Vehicle with world's best technological equipement:
- Water Mist Fire Fighting System / MFCF Foam & Powder Extinguisher
- Portable Inflatable Light Tower & Handheld Search Light
- Rescue Saw (Rotary or RCC) Cutter (USA)
- ResQmax / ALM Assualt Launcher Max (USA)
- First Aid Kit, PPE (Personal Protective Equipment)
- AED (Automated External Defibrillator)
- Finder
- * Equipment listed is indicative and provisional subject to revision

ATV / UTV Aska General 1000-EPS

Aska in technical collaboration with Polaris has introduced an All Terrain Vehicle fully equipped to combat all Disasters. It is a value-priced product with a 1000HP, 2-seater utility, side-by-side with adjustable FOX Podium X 2.0 QS3 shocks, 12 inch ground clearance and 499 kg towing capacity. These units have smaller, two-seat chassis, that fits in the back of ATV and is equipped with first responder products for disaster management over Mountains, Deserts, Forests, collapsed buildings and other inaccessible & treacherous terrains. Can be used to track & monitor movements.







Reach Unsafe Disaster Terrains like Mountains, Deserts, Forests & Floods



Portable Rescue Saw

Suitable for cutting concrete, hardest rail track within minutes, Security Bars, Metals, Iron Rods, Iron Chain, Stones, Rock, Block Steel, Auto Body, Glass, Cock Pit, Bullet Proof Glass, Hurricane Glass and more, etc for effective use in Rescue Operations.



Suitable for cutting RCC



ALM - Assualt Launcher Max

- Lightweight NonPyrotechnical Utility Launcher
- Horizontal range: up to 850 ft / 259 m
- Vertical range with Grappling hook: up to 230 ft / 70 m
- Rope Diameters: 3.0 mm 13.0 mm
- Handheld, Compact and Portable
- Ease of use & Accurate aiming



ResQmax Line Deployment Kit / Swift Water Rescue

- Lightweight NonPyrotechnical Utility Launcher
- Horizontal Range upto 400ft / 122 m
- Line Proiectile
- Auto Inflating Sling
- FoldingStock
- Kit Carry Bag
- Tool Kit



Rechargeable Long Range LED Dragon Search Light

- 5 modes of brightness selectable (High, Medium, Low, SOS & Flash)
- Ergonomically designed two position handering
- Multi-adjustable Stand
- XP-G CREE 10 Watt High Power LED Spotlight
- AC/DC Charger
- 3 LED Functions Indicator
- Beam Distance: around 450 meters.
- Operating Temperature: -5° to + 50°C
- The equipment is light weight & portable



Finder

- Locating victims during disaster & emergency
- Quick Setup
- Reliable detection of heartbeat and respiratory movement 20 meters away vertically and horizontally
- · Sees multiple heartbeats
- Sees thru smoke, fire, walls and rubble
- Ability to operate in a stand-off mode (at a distance)
- Graphical user interface with built in GPS capabilities and statistical reporting over Wi-Fi.













Fire Rating: A55, B233, E1000V
Operating Pressure: 34 Bar
Extinguishing Gun: 750 Gm
Aircylinder 6L x 200 Bar
Vessel Capacity: 10Ltr







Water Mist & CAF Fire Extinguisher Trolley mounted 50L Capacity

Fire Rating: A55, B233, E1000V
Operating Pressure: 34 Bar
Extinguishing Gun: 750 Gm
Aircylinder 6L x 300 Bar

• Vessel Capacity : 50Ltr

• Approval : as per DIN EN 1866-1



MFCF-10 : Maintenance Free and Corrision Free Powder / Foam Fire Extinguisher

- Control Discharge Corrosion Free & Service Free Extinguisher
- No Confusion, Single Extinguisher For Class A, Class B & Live Electical Fire
- 10 Year Corrosion Warranty & 20 years of life
- Requires only a yearly in-house compliance inspection using guage check with magnet
- $\bullet~$ Kevlar $^{\circledR}$ Aramid type super strength yarn
- Light weight for ease of operation
- BIS15683, EN3 & MED approved
- 100% UV protection of the outer casing
- 100% Recyclable



Portable Inflatable Emergency Lighting System

• Tower Height : 4.5 Meters

Weight: 45 kg ± 5%

Area Covered : Up to 55 meters (radius)

• Generator Model : Petrol 1200va (rated)

• Tank Capacity: 8.0 Ltr

• Light Source: 400 W Metal Halide

Brightness : 42000 Lumens

ENGINE & DRIVETRAIN

Cooling Liquid High Performance On-Drive System Type Demand AWD/2WD Engine Braking System (EBS) Standard Electronic Fuel Fuel System Injection Transmission/Final Drive Automatic PVT P/R/N/L/H; Shaft

Cylinders-Displacement (cc)

Engine Type 4-Stroke Twin Cylinder DOHC

SUSPENSION

Dual A-Arm with Front Suspension Stabilizer Bar 12.25" Travel Dual A-Arm with Rear Suspension Stabilizer Bar. IRS 13.2" Travel

BRAKES

Front/Rear Brakes 4-Wheel Hydraulic Disc with Dual-Bore Front Calipers Park In-Transmission Parking Brake

TIRES / WHEELS

Front Tires 27 x 9-12; AT489 II Rear Tires 27 x 11-12; AT489 II Wheels Stamped Steel

DIMENSIONS

Bed Box Dimensions (L x W x H) 27.5 x 43.1 x 11.6 in. Front/Rear Rack or Box Capacity N.A./272 kg 35.9 L Fuel Capacity (Litres) Ground Clearance 12 in. 118.11 x 62.5 x 75 in. Overall Vehicle Size (L x W x H) Payload Capacity 499 kg Person Capacity 2 Wheelbase 81 in. Estimated Dry Weight (kg) 648 kg



FEATURES

| LATORES | |
|---------------------------|--|
| Adjustable Driver Seat | Standard |
| Cargo System | Lock&Ride® |
| Color / Graphics | Indy Red |
| Doors | Half Doors Standard |
| Electronic Power Steering | Standard |
| Hitch Towing Rating | 680 kg |
| Hitch Type | Standard/2" Receiver |
| Instrumentation | Digital Gauge, Speedometer, Odometer, Tachometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Hi-Temp, Coolant Temperature, Voltmeter, Service Indicator, Seat Belt Reminder, User selectable Blue/Red backlighting, Gear Indicator, DC Outlet [2] |
| Lighting | 55W low/ 60W high, LED Tail |
| Tilt Steering | Standard |
| Polaris® Lock&Ride® | Standard |
| Pro Fit Cab Capable | |
| Bodywork | Indy Red (inmold) |
| Special Features | Center Console w/ 12V DC Outlet |

ONBOARD PRODUCTS OPTIONS

1 EACH Water Mist Fire Fighting System / FCF Foam & Powder Extinguisher Portable Inflatable Light Tower & Handheld Search Light Rescue Saw (Rotary or RCC) Cutter (USA) ResQmax / ALM -Assualt Launcher Max (USA) First Aid Kit, PPE (Personal Protective Equipment) (Automated External Defibrillator)





R-482, New Rajendra Nagar, Ganga Ram Hospital Square, Shankar Road, New Delhi -110060

Tel.: +91-11-49458800 (30 lines) Fax: +91-11-49458844

Finder

Email: info@askagroup.com Website: www.askagroup.com